


INSTALL FENCING AT THE TREE DRIP LINE PRIOR TO SITE WORK AND REMOVE ON COMPLETION. METAL 1" BAR STAKES WITH ORANGE PLASTIC SAFETY MESH.

FOR NEW UTILITIES: NO TRENCHING ZONE - BORING & DRILLING ONLY.

FOR NEW UTILITIES: TRENCHING BY HIGH-PRESSURE WATER ON ONE SIDE OF TREE ONLY. ROOTS REMAIN INTACT.

FOR NEW UTILITIES: TRENCHING BY MACHINE AND HAND-DIGGING AT LEAST 6" TO CLEANLY TRIM ROOTS. MAX. TWO SIDES OF TREE.



NOTE: VERIFY STATUS OF ALL TREES WITH LANDSCAPE ARCHITECT PRE-CONSTRUCTION. LOCATE FENCE TO GROUP TREES AS DIRECTED BY LANDSCAPE ARCHITECT.

ALL PRUNING BY QUALIFIED ARBORIST TO ANSI A300.

INSTALL FENCING AT THE TREE DRIP LINE PRIOR TO SITE WORK AND REMOVE ON COMPLETION.

TIE ORANGE PLASTIC TAPE FROM LOWEST OVERHANGING BRANCHES.

PROTECT ROOT SYSTEM FROM DAMAGE, COMPACTION, CONTAMINATION, FILL & EXCAVATION.

ORGANIC MULCH

NOTE: IF PAVEMENT OR FOUNDATION EXIST, FENCE MAY BE LOCATED INSIDE DRIP LINE AT EDGE OF PAVEMENT.

WATER TREE INSIDE FENCE

FOR NEW UTILITIES: NO TRENCHING ZONE - BORING & DRILLING ONLY.


FOR NEW UTILITIES: TRENCHING BY HIGH-PRESSURE WATER ON ONE SIDE OF TREE ONLY. ROOTS REMAIN INTACT.

FOR NEW UTILITIES: TRENCHING BY MACHINE AND HAND-DIGGING AT LEAST 6" WIDE TO CLEANLY TRIM ROOTS. MAX. TWO SIDES OF THE TREE.


01 TREE PROTECTION DETAIL

SHEET NOTES

CONSTRUCT AND COMPLETE ALL WORK ON SLOPES PRIOR TO PREPARING FLATTER AREAS. FILL SLOPES FROM BOTTOM UP.



2 GRADING LANDFORMS - TYPICAL
SCALE: 1" = 1'-0"



1 GRADING TOLERANCES - TYPICAL
SCALE: 2" = 1'-0"



13 BIKE RACKS
SCALE: NTS



12 TRASH/ RECYCLING UNITS
SCALE: NTS




11 FENCE TYPE C
SCALE: NTS




10 FENCE TYPE B
SCALE: NTS




9 FENCE TYPE A
SCALE: NTS




8 RUNNEL DETAIL
SCALE: 3/4" = 1'-0"




7 LIGHT FOOTING-TYPICAL
SCALE: 3/4" = 1'-0"




6 BOLLARD-TYPICAL
SCALE: 3/4" = 1'-0"




5 BENCH-TYPICAL
SCALE: 1" = 1'-0"



4 TRENCH GRATE-TYPICAL
SCALE: 1" = 1'-0"




3 CONCRETE PAVING AT EDGE OF STRUCTURE
SCALE: 1" = 1'-0"





NOTE: CONTRACTION JOINTS TO BE PLACED 5'-0" C. MINIMUM

NOTE: EXPANSION JOINTS TO BE PLACED EVERY 20'-0" MINIMUM AND BETWEEN ADJACENT PAVING AREAS



2 CAST IN PLACE CONCRETE PAVING-TYPICAL
SCALE: 1" = 1'-0"



1 ASPHALT PAVING-TYPICAL
SCALE: 1" = 1'-0"



01 Embankment Slides
Not to Scale



05 Outdoor Music Instruments
Not to Scale



09 Sand Play
Not to Scale



02 Hillside Climbing - Log and Boulder Scrambles
Not to Scale



06 Single Swings
Not to Scale




10 Tricycle and Play Materials Storage Benches
Not to Scale



03 Stepping Stumps
Not to Scale




07 Group/Collaborative Swings
Not to Scale



11 Outdoor Classroom Seating
Not to Scale




04 Log Balance Beam
Not to Scale




08 Maze/Mandala Paving Pattern
Not to Scale


12 Outdoor Classroom Weather Station
Not to Scale




7 BULB PLANTING
SCALE: 1/2" = 1'-0"






6 REINFORCED LAWN PLANTING
SCALE: 1" = 1'-0"





5 LAWN PLANTING
SCALE: 1" = 1'-0"




4 GROUNDCOVER PLANTING ON SLOPE
SCALE: 1" = 1'-0"



3 SHRUB & GROUNDCOVER PLANTING
SCALE: 3/8" = 1'-0"



2 TREE STAKING
SCALE: 1/4" = 1'-0"



1 TREE PLANTING
SCALE: 3/8" = 1'-0"